

LED Footlight P

SMART LIGHT WITH
VARIOUS **ART SHAPE**



BLE Sigmesh



Smart Control



OPPLE Home



Lux Sensor



PIR



LED Footlight P



BLE Sigmesh



Smart Control



OPPLE Home



Lux Sensor



PIR

Base Specification

Item Code	Item Description	Power (W)	Rated Input Voltage (VAC)	CCT (K)	Controller	Life Time (L70B50)
541003485500	Footlight-Base-Sensor-3000K-without Cover	1	220	3000	PIR/lux Sensor	30000hrs
541003486200	Footlight-Base-BLE-3000K-without Cover	1	220	3000	BLE(APP)	30000hrs

Cover Specification

Item		Single box(4pc/box)		Packaging Unit		
Item Code	Item Description	Dimensions(mm) (LxWxH)	Gross Weight (kg)	Dimensions(mm) (LxWxH)	Gross Weight (kg)	Packing Qty (pcs/CTN)
541003486800	Footlight-Golden-Glass	93*93*40	0.22	290*105*220	3.26	60
541003486900	Footlight-Gray-Glass	93*93*40	0.22	290*105*220	3.26	60
541003487300	Footlight-Cover-BK-Square	93*93*40	0.22	290*105*220	3.26	60
541003487900	Footlight-Cover-BK-Triangle	93*93*40	0.22	290*105*220	3.26	60
541003487500	Footlight-Cover-White-Square	93*93*40	0.22	290*105*220	3.26	60
541003487400	Footlight-Cover-White-Triangle	93*93*40	0.22	290*105*220	3.26	60
541003489100	Footlight-Cover-Gray--Square	93*93*40	0.22	290*105*220	3.26	60
541003489200	Footlight-Cover-Gray-Triangle	93*93*40	0.22	290*105*220	3.26	60
541003489600	Footlight-Cover-Golden-Square	93*93*40	0.22	290*105*220	3.26	60
541003489700	Footlight-Cover-Golden-Triangle	93*93*40	0.22	290*105*220	3.26	60

Technical Specification

Colour Consistency(SDCM)	≤5
Tunable	NO
Light Shape	Square/Triangle
IP	IP20
Driver integrated(Yes/No)	Yes

Electrical Supply

Frequency (Hz)	50-60HZ
Voltage (V)	220-240
AC / DC	AC
Electrical Protection	Class II

Mechanical and Finishing Properties

Material	Metal Frame+PC
Cover Colour	Golden/Gray/Black/White

Application Conditions


Operating Temperature	-10-40°C
Application Temperature	25°C
Storage Environment	-25-50°C

CB


Packaging Information

Item		Single box(1pc/box)			Packaging Unit	
Item Code	Item Description	Dimensions(mm) (LxWxH)	Gross Weight (kg)	Dimensions(mm) (LxWxH)	Gross Weight (kg)	Packing Qty (pcs/CTN)
541003485500	Footlight-Base-Sensor-3000K-without Cover	93*93*40	0.133	385*200*220	5.82	40
541003486200	Footlight-Base-BLE-3000K-without Cover	93*93*40	0.133	385*200*220	5.82	40

Dimensional Drawing



Class cover version



Metal cover version

Type	L(mm)	W(mm)	H(mm)
LED Footlight-Glass Cover	86	86	33.3
LED Footlight-Metal Cover	86	86	32.5

Light effect

